

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|------------------------------------------------------------------------------------------------|----------------------------------------------------------------|------------------|---------|---------------------|
| L1 | 0 | @ad<"20031126" and "455"/\$.ccls. and RSSI near2 circuit near4 operat \$3 near3 range near2 dB | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/11 17:12 |
| L2 | 16 | @ad<"20031126" and "455"/\$.ccls. and RSSI near3 range near2 dB | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/11 17:13 |
| L3 | 0 | @ad<"20031126" and "455"/\$.ccls. and RSSI near3 range near2 dB near5 attenuation | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/11 17:13 |
| L4 | 0 | @ad<"20031126" and "455"/\$.ccls. and RSSI near4 "90" near dB near5 "30" near dB | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/11 17:14 |
| L6 | 14 | @ad<"20031126" and "455"/\$.ccls. and (signal near strength) near4 range near3 dB | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/11 17:19 |
| L7 | 14 | 6 not 2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/11 17:20 |
| S2 | 1 | 10/817094 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/19 11:15 |
| S3 | 5097 | @ad<"20031126" and 455/67.11-67.14,115.1-115.2,226.1-226.4,423,446.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/06 14:18 |
| S4 | 427 | S3 and (measur\$3 with (signal near2 power)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/06 15:32 |

| | | | | | | |
|-----|------|-------------------------------------------------------------------------|----------------------------------------------------------------|----|----|---------------------|
| S5 | 575 | S3 and (measur\$5 with (received near2 signal near2 (strength power))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/06 15:32 |
| S6 | 50 | S5 and ((adjust\$3 configur\$3 calibrat\$3) with receiver). bsum. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/06 15:55 |
| S8 | 21 | S6 and ((automatic adj gain adj control) AGC) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/06 16:17 |
| S9 | 14 | S8 and period\$6 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/06 15:59 |
| S10 | 3 | S9 and (slope (rate near change) derivative) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/06 16:17 |
| S11 | 6 | S8 and dbm | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/06 16:02 |
| S12 | 7 | S8 not S9 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/06 16:17 |
| S13 | 1 | S12 and (slope (rate near change) derivative) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/06 16:17 |
| S16 | 5097 | @ad<"20031126" and 455/67.11-67.14,115.1-115.2,226.1-226.4,423,446.cds. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/07 09:17 |
| S17 | 575 | S16 and (measur\$5 with (received near2 signal near2 (strength power))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/07 09:17 |

| | | | | | | |
|-----|------|-------------------------------------------------------------------------------|----------------------------------------------------------------|----|----|---------------------|
| S18 | 50 | S17 and ((adjust\$3 configur\$3 calibrat\$3) with receiver).bsum. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/07 09:17 |
| S19 | 21 | S18 and ((automatic adj gain adj control) AGC) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/07 09:17 |
| S20 | 16 | S19 and (transmitter with receiver) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/07 09:18 |
| S21 | 8 | S19 and ((configur\$3 adjust\$3) with transmitter with receiver) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/07 09:20 |
| S22 | 3 | S21 and RSSI | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/07 09:20 |
| S23 | 3 | S22 and period\$6 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/07 09:36 |
| S24 | 2 | S23 and ((transmitter with receiver with circuit) (transceiver with circuit)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/07 09:37 |
| S25 | 1 | S23 and (integrated adj circuit) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/07 09:38 |
| S26 | 4 | S19 and (integrated with (transceiver (transmitter near3 receiver))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/07 13:20 |
| S27 | 5097 | @ad<"20031126" and 455/67.11-67.14,115.1-115.2,226.1-226.4,423,446.cds. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/07 13:20 |

| | | | | | | |
|-----|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|----|-----|---------------------|
| S28 | 575 | S27 and (measur\$5 with (received near2 signal near2 (strength power))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/07 13:20 |
| S29 | 50 | S28 and ((adjust\$3 configur\$3 calibrat\$3) with receiver).bsum. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/07 13:20 |
| S30 | 21 | S29 and ((automatic adj gain adj control) AGC) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/07 13:20 |
| S31 | 2 | S30 and table and RSSI | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/07 13:22 |
| S32 | 1 | S31 and switch\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/07 13:22 |
| S33 | 3 | @ad<"20031126" and ("455"/\$ "375"/\$).cds. and ((RSSI RSS (received adj signal adj strength)) and (loopback loop-back (loop adj back))).bsum. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/19 13:12 |
| S34 | 20 | ((("7039399") or ("20050095993") or ("5663968") or ("6272322") or ("20020012142") or ("6418304") or ("3858206") or ("6018644") or ("5146614") or ("5379450"))).FN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/19 12:58 |
| S35 | 2 | S34 and (RSSI RSS (received adj signal adj strength)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/19 13:07 |

| | | | | | | |
|-----|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|----|----|---------------------|
| S36 | 103 | @ad< "20031126" and ("455"/\$ "375"/\$).ccls. and ((RSSI RSS (received adj signal adj strength)) with measur\$3) and ((adjust\$3 calibrat\$3 configur\$3) with transmitter with receiver) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/19 13:54 |
| S37 | 33 | S36 and attenuation | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/19 13:13 |
| S38 | 1 | 10/817094 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/19 13:22 |
| S39 | 0 | @ad< "20031126" and ("455"/\$ "375"/\$).ccls. and ((RSSI RSS (received adj signal adj strength)) with measur\$3) and (determin\$3 with enable with transmit with switch with attenuat\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/19 13:55 |
| S40 | 2 | @ad< "20031126" and ("455"/\$ "375"/\$).ccls. and ((RSSI RSS (received adj signal adj strength)) with measur\$3) and (enabl\$3 with transmit with attenuat\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/19 14:15 |
| S41 | 164 | @ad< "20031126" and ("455"/\$ "375"/\$).ccls. and ((RSSI RSS (received adj signal adj strength)) with measur\$3) and ((lookup look-up (look adj up)) near3 table) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/19 16:22 |
| S43 | 148 | S41 and (affine function equation formula) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/19 14:17 |
| S44 | 50 | S43 and slope | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/19 14:17 |

| | | | | | | |
|-----|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|----|----|---------------------|
| S45 | 46 | S44 and (offset adjustment) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/19 14:25 |
| S46 | 29 | S45 and (loopback loop-back (loop adj back)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/19 14:25 |
| S47 | 0 | @ad<"20031126" and ("455"/\$ "375"/\$).ccls. and (calibrat\$3 same (RSSI RSS (received adj signal adj strength)) same slop same (offset factor adjustment)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/19 16:27 |
| S48 | 5 | @ad<"20031126" and ("455"/\$ "375"/\$).ccls. and (calibrat\$3 same (RSSI RSS (received adj signal adj strength)) same slope) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/19 16:43 |
| S49 | 10 | @ad<"20031126" and ("455"/\$ "375"/\$).ccls. and (calibrat\$3 same (RSSI RSS (received adj signal adj strength)) same transmitter).bsum. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/19 17:02 |
| S50 | 2 | @ad<"20031126" and ("455"/\$ "375"/\$).ccls. and (calibrat\$3 same (RSSI RSS (received adj signal adj strength)) same ((adjust\$3 configur\$3) with transmitter)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/19 17:13 |
| S51 | 9 | @ad<"20031126" and ("455"/\$ "375"/\$).ccls. and ((calibrat\$3 with receiver with transmitter) same (RSSI RSS (received adj signal adj strength))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/19 17:14 |
| S52 | 6 | @ad<"20031126" and (((measur\$3 with RSSI with (maximum minimum)) same ((chang \$3 modif\$4 adjust\$3) with (threshold limit criteria) with RSSI)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/01 15:04 |

| | | | | | | |
|-----|----|-----------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|----|-----|---------------------|
| S54 | 3 | @ad<"20031126" and (measur\$3 with RSSI near5 maximum) and (measur\$3 with RSSI near5 minimum) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/01 15:32 |
| S55 | 4 | @ad<"20031126" and ((measur\$3 determin\$3) near5 RSSI near5 maximum) and ((measur\$3 determin\$3) near5 RSSI near5 minimum) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/01 15:33 |
| S57 | 26 | @ad<"20031126" and (LNA near4 minimum near gain) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/01 15:39 |
| S58 | 0 | @ad<"20031126" and (LNA near4 minimum near gain) same (minimum near3 power) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/01 15:39 |
| S59 | 16 | @ad<"20031126" and ((measur\$3 determin\$3) near4 (actual observed) near3 RSSI) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/01 15:45 |
| S60 | 2 | ("7283797").PNL | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/01 16:05 |
| S61 | 1 | @ad<"20031126" and ((receiv\$3 near2 mode) same (maximum near2 gain) same (maximum near2 power)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/01 16:07 |
| S66 | 0 | @ad<"20031126" and (((determin\$3 measur\$3) near4 RSSI) same ((adjust\$3 configur\$3) near4 transmi\$5 near4 (receiv\$3 reception) near4 circuit)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/01 16:37 |
| S67 | 17 | @ad<"20031126" and (calibrat\$3 with RSSI with (range threshold criteria limit)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/01 16:38 |

| | | | | | | |
|-----|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|----|----|---------------------|
| S68 | 2 | @ad< "20031126" and (((determin\$3 measur\$3) near4 RSSI) and ((adjust \$3 configur\$3) near4 transmi\$5 near4 (receiv\$3 reception) near4 circuit)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/01 16:39 |
| S69 | 25 | @ad< "20031126" and (((determin\$3 measur\$3) near4 RSSI near4 (range threshold criteria limit)) and calibrat\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/01 16:42 |
| S70 | 29 | @ad< "20031126" and (((determin\$3 measur\$3) near4 RSSI near4 (range maximum minimum threshold criteria limit)) and calibrat\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/01 16:48 |
| S71 | 9 | @ad< "20031126" and (((determin\$3 measur\$3) near4 RSSI near4 (range maximum minimum threshold criteria limit)) and calibrat\$3.bsum. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/01 16:49 |
| S72 | 9 | @ad< "20031126" and (((determin\$3 measur\$3) near4 (RSSI near maximum)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/01 16:51 |
| S75 | 7 | @ad< "20031126" and (calibrat\$3 near4 receiver near4 sensitiv\$3).bsum. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/01 16:57 |
| S76 | 0 | @ad< "20031126" and (((maximiz\$3 maximum) near gain near4 LNA) same ((maximiz\$3 maximum) near3 power near2 (transmission transmit))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/01 17:00 |
| S78 | 9 | @ad< "20031126" and calibrat\$3.bsum. and ((1st first) near2 measurement) and ((2nd second) near2 measurement) and (RSSI (signal adj strength)) and ((configur\$3 adjust\$3 chang\$3 modif\$4) near4 threshold) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/01 17:04 |

| | | | | | | |
|-----|-----|-------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|----|-----|---------------------|
| S79 | 1 | @ad<"20031126" and calibrat\$3.bsum. and (expected adj RSSI) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/01 17:27 |
| S80 | 272 | @ad<"20031126" and KIM and RSSI | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/01 18:08 |
| S81 | 69 | S80 and attenuation | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/01 18:08 |
| S82 | 3 | S81 and (LNA near2 gain) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/01 18:09 |
| S84 | 10 | S81 and calibrat\$3 not S82 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/01 18:11 |
| S85 | 0 | @ad<"20031126" and (((RSSI (signal adj strength)) near slope) with calibrat\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/01 18:25 |
| S86 | 2 | ("6175279").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/01 18:26 |
| S87 | 8 | @ad<"20031126" and (((RSSI (signal adj strength)) near slope) and calibrat\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/01 18:26 |
| S88 | 6 | @ad<"20031126" and (((RSSI (signal adj strength)) near slope) with (determin\$3 calculat \$3 measur\$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/01 18:30 |
| S89 | 2 | @ad<"20031126" and ("455"/\$ "375"/\$).ocls. and ((receiv\$3 adj mode) same (maximum near (LNA amplifier))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/16 11:01 |

| | | | | | | |
|-----|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|----|----|---------------------|
| S90 | 368 | @ad< "20031126" and ("455"/\$ "375"/\$).cds. and (calibrat\$3).bsum. and ((modif\$4 chang\$3 adjust\$3 configur\$3 calibrat\$3) near5 (LNA amplifier)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/16 11:03 |
| S91 | 0 | S90 and (slope near2 RSSI) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/16 11:04 |
| S92 | 0 | S90 and (slope near2 (signal near strength)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/16 11:04 |
| S93 | 207 | S90 and ((modif\$4 chang\$3 adjust\$3 configur\$3 calibrat\$3) near5 power) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/16 11:04 |
| S94 | 91 | S90 and ((modif\$4 chang\$3 adjust\$3 configur\$3 calibrat\$3) near5 power near4 (transmission transmit\$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/16 11:05 |
| S95 | 41 | S94 and ((maximum maximiz\$3 max) near3 power) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/16 11:07 |
| S96 | 12 | S94 and ((minimum minimiz\$3 min) near4 (LNA amplifier)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/16 11:07 |
| S97 | 6 | S95 and S96 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/16 11:07 |
| S98 | 2 | @ad< "20031126" and ("455"/\$ "375"/\$).cds. and (calibrat\$3).bsum. and (calibrat\$3 near4 (RSSI (signal near strength))) same ((adjust\$3 configur\$3 chang\$3 modif\$4) near5 transmitter) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/16 12:38 |

| | | | | | | |
|------|----|---------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|----|----|---------------------|
| S100 | 34 | KIM-HEA-JOUNG | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/16 13:21 |
| S101 | 10 | KIM-HEA-JOUNG and @ad<"20031126" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/16 13:21 |
| S102 | 41 | @ad<"20031126" and ("455"/\$ "375"/\$).cds. and (calibrat\$3 near4 transm\$5) and (loop adj back) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/16 13:51 |
| S103 | 4 | S102 and (measur\$3 near4 (RSSI (signal near strength))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/16 13:57 |
| S104 | 2 | S103 and switch\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/16 14:03 |
| S105 | 11 | S102 and (RSSI (signal near strength)) and switch \$3 not S103 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/16 14:08 |
| S106 | 78 | @ad<"20031126" and (((minimum near2 power) with (minimum near2 gain))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/19 16:18 |
| S107 | 2 | @ad<"20031126" and (((minimum near2 power) with (minimum near2 gain)) same (RSSI (signal near strength))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/19 16:18 |
| S108 | 17 | @ad<"20031126" and (((RSSI (signal near strength)) with slope) and ((adjust\$3 configur\$3 reconfigur\$3) near4 transmitter) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/19 16:21 |
| S109 | 13 | S108 and ((adjust\$3 configur\$3 reconfigur\$3) near4 receiver) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/19 16:22 |

| | | | | | | |
|------|-----|--------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|----|----|---------------------|
| S110 | 12 | @ad<"20031126" and ((RSSI (signal near strength)) with slope).ab. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/19 16:23 |
| S111 | 0 | @ad<"20031126" and (minimum near2 power) and (minimum near2 gain) and (determin\$3 near4 slope) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/19 16:27 |
| S112 | 0 | @ad<"20031126" and (maximiz\$3 near4 transmitter) and (minimiz\$3 near4 receiver) and (determin\$3 near3 slope) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/19 16:29 |
| S113 | 54 | @ad<"20031126" and (maximiz\$3 near4 transmitter) and (minimiz\$3 near4 receiver) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/19 16:30 |
| S114 | 9 | S113 and slope | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/19 16:30 |
| S115 | 5 | @ad<"20031126" and ((adjust\$3 configur\$3 reconfigur\$3 optimiz\$3) near4 transmitter near4 receiver same slope) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/19 16:35 |
| S116 | 24 | @ad<"20031126" and ((adjust\$3 configur\$3 reconfigur\$3 optimiz\$3) with transmitter with receiver same slope) not S115 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/19 16:39 |
| S117 | 259 | @ad<"20031126" and (power near3 transmitter) same (gain near3 receiver) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/19 16:41 |
| S119 | 1 | S117 and ((determin\$3 calculat\$3 estimat\$3) near4 slope) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/19 16:43 |

| | | | | | | |
|------|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|----|----|---------------------|
| S120 | 0 | @ad< "20031126" and (((different near4 configurations near4 (transmitter transmitting transmit) near4 (receiver receiving receive)) same slope) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/19 16:47 |
| S121 | 8 | @ad< "20031126" and (((configuration optimization combination) near4 (transmitter transmitting transmit) near4 (receiver receiving receive)) same slope) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/19 16:47 |
| S122 | 0 | @ad< "20031126" and (((RSSI (signal near strength)) near4 slope) same (power same ((LNA amplifier) near gain)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/19 17:01 |
| S123 | 144 | @ad< "20031126" and slope same (power same ((LNA amplifier) near gain)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/19 17:02 |
| S124 | 23 | S123 and "455"/\$.cds. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/19 17:02 |
| S125 | 127 | @ad< "20031126" and (((determiniz\$3 calculat\$3) near4 slope) and (((minimum minimiz\$3) with gain with signal) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/19 17:22 |
| S126 | 57 | S125 and ((maximum maximiz\$3) with gain with signal) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/19 17:23 |
| S127 | 58 | @ad< "20031126" and (((maximum maximiz\$3 near4 (RSSI (signal near strength))) and (((minimum minimiz\$3) near4 (RSSI (signal near strength))) and slope | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/19 17:32 |
| S128 | 58 | S127 not S126 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/19 17:33 |

| | | | | | | |
|------|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|----|----|---------------------|
| S129 | 39 | @ad<"20031126" and ((maximum maximiz\$3) near4 (RSSI (signal near strength))) same ((minimum minimiz\$3) near4 (RSSI (signal near strength))) and slope | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/19 17:33 |
| S130 | 2 | @ad<"20031126" and ((maximum maximiz\$3) near4 (RSSI (signal near strength))) same ((maximum maximiz\$3 highest) near4 power) same ((maximum maximiz \$3 highest) near3 (receiver receiving LNA) near3 gain) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/19 17:40 |
| S131 | 0 | @ad<"20031126" and ((minimum minimiz\$3) near4 (RSSI (signal near strength))) same ((minimum minimiz\$3 lowest) near4 power) same ((minimum minimiz \$3 lowest) near3 (receiver receiving LNA) near3 gain) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/19 17:43 |
| S132 | 6 | @ad<"20031126" and ((determin\$3 calculat\$3) with slope with (RSSI (signal near strength))). ab. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/19 17:48 |
| S133 | 3 | @ad<"20031126" and (optimiz\$3 with (transmitter near4 power) with (receiver near4 gain)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/19 17:52 |
| S134 | 0 | @ad<"20031126" and ((minimum minimiz\$3) near4 (RSSI (signal near strength))) and ((minimum minimiz\$3 lowest) near4 power) same ((minimum minimiz \$3 lowest) near3 (receiver receiving LNA) near3 gain) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/19 17:55 |

| | | | | | | |
|------|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|----|----|---------------------|
| S135 | 0 | @ad<"20031126" and ((minimum minimiz\$3 near4 (RSSI (signal near strength))) and ((minimum minimiz\$3 lowest) near4 power) and ((minimum minimiz\$3 lowest) near3 (receiver receiving LNA) near3 gain) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/19 17:56 |
| S136 | 0 | @ad<"20031126" and ((maximum maximiz\$3 near4 (RSSI (signal near strength))) same ((minimum minimiz\$3 lowest) near3 (receiver receiving LNA) near3 gain) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/19 17:58 |
| S137 | 3 | @ad<"20031126" and ((minimum minimiz\$3 near4 (RSSI (signal near strength))) same ((maximum maximiz\$3 highest) near3 (receiver receiving LNA) near3 gain) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/19 17:59 |
| S138 | 13 | @ad<"20031126" and ((LNA receiver) near3 gain) with proportional with (RSSI (signal near strength)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/19 18:00 |
| S139 | 91 | @ad<"20031126" and ((self near test\$3) same transmitter same receiver). bsum. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/19 18:52 |
| S142 | 18 | S139 and (RSSI (signal near strength)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/19 18:53 |
| S143 | 161 | @ad<"20031126" and (375/221, 455/67.11-67.14).cols. and ((loop adj back) loop-back loopback) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/20 11:02 |
| S144 | 52 | S143 and (RSSI (signal near strength)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/20 12:42 |
| S145 | 9 | S143 and ((adjust\$3 configur\$3 reconfigur\$3 chang\$3 modif\$4) near5 transmitter near5 receiver) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/20 12:43 |

| | | | | | | |
|------|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|----|----|---------------------|
| S146 | 1 | S145 and ((adjust\$3 configur\$3 reconfigur\$3 reset chang\$3 modif\$4) near4 threshold) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/20 12:46 |
| S147 | 2 | S144 and S145 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/20 12:54 |
| S148 | 14 | S143 and ((adjust\$3 configur\$3 reconfigur\$3 reset chang\$3 modif\$4) near4 threshold) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/20 13:46 |
| S149 | 4 | @ad< "20031126" and (375/221, 455/67.11-67.14).ccls. and ((RSSI (signal near strength)) same ((transmit transmitter) near3 attenuat \$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/20 14:45 |
| S150 | 2 | @ad< "20031126" and ("375"/\$ "455"/\$).ccls. and ((adjust\$3 configur\$3 reconfigur\$3 chang\$3 modif\$4) near5 both near5 transmitter near5 receiver) same (RSSI (signal near strength))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/20 14:59 |
| S151 | 3 | @ad< "20031126" and ("375"/\$ "455"/\$).ccls. and ((adjust\$3 configur\$3 reconfigur\$3 chang\$3 modif\$4) near5 both near5 transmitter near5 receiver) and ((maximiz\$3 maximum) near3 (RSSI (signal near strength))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/20 16:01 |
| S152 | 9142 | @ad< "20031126" and ("375"/\$ "455"/\$).ccls. and (calibrat\$3 diagnosis diagnos\$3 diagnostic test \$3).bsum. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/20 16:04 |
| S153 | 221 | S152 and ((adjust\$3 configur\$3 reconfigur\$3 chang\$3 modif\$4) near5 transmitter near5 receiver) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/20 16:04 |

| | | | | | | |
|------|------|-----------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|----|----|---------------------|
| S154 | 42 | S153 and ((adjust\$3 configur\$3 reconfigur\$3 chang\$3 modif\$4) near5 first near5 second) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/20 16:05 |
| S155 | 4 | S154 and ((adjust\$3 configur\$3 reconfigur\$3 chang\$3 modif\$4) near5 measurement) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/20 16:05 |
| S156 | 232 | S152 and (measur\$3 near4 first) same (measur\$3 near4 second) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/20 16:07 |
| S157 | 18 | S156 and ((adjust\$3 configur\$3 reconfigur\$3 chang\$3 modif\$4) near5 (threshold criteria)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/20 16:08 |
| S158 | 9142 | @ad< "20031126" and ("375"/\$ "455"/\$.ccls. and (calibrat\$3 diagnos\$3 diagnostic test \$3).bsum. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/21 10:35 |
| S160 | 11 | S158 and ((adjust\$3 configur\$3 reconfigur\$3 chang\$3 modif\$4) near5 threshold near5 compensat\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/21 10:36 |
| S161 | 0 | S158 and ((adjust\$3 configur\$3 reconfigur\$3 chang\$3 modif\$4) near5 transmitter near5 receiver) same (slope near3 (SNR SINR ratio)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/21 10:39 |
| S162 | 4 | S158 and ((adjust\$3 configur\$3 reconfigur\$3 chang\$3 modif\$4) near5 RSSI near3 threshold) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/21 10:40 |
| S165 | 1144 | @ad< "20031126" and ("375"/\$ "455"/\$.ccls. and ((calibrat\$3 diagnos\$3 test\$3) near self) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/21 10:59 |
| S166 | 4 | S165 and sonny | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/21 11:00 |

| | | | | | | |
|------|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|----|-----|---------------------|
| S169 | 5 | (10/243343 10/255258 10/255391 10/255402 10/645130 10/657434 10/701575).APP. | USPAT; USOCR | OR | ON | 2008/05/21 11:08 |
| S170 | 33 | ("20020160740" "20030045249" "20030157902" "20030157917" "20030194984" "20040106380" "4858159" "4871979" "5126692" "5245646" "5553081" "5687201" "5838737" "5914633" "5933037" "6003051" "6014554" "6018702" "6049255" "6112086" "6236840" "6356163" "6356747" "6377091" "6441983" "6584422" "6654594" "6668162" "6711396" "6724265" "6731145" "6748026" "6785530").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2008/05/21 11:09 |
| S171 | 10 | S158 and ((adjust\$3 configur\$3 reconfigur\$3 chang\$3 modif\$4) near5 threshold near5 measurement) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/21 15:38 |
| S172 | 8 | S158 and ((adjust\$3 configur\$3 reconfigur\$3 chang\$3 modif\$4) near5 threshold near2 (RSSI (signal near strength))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/21 15:45 |
| S174 | 5 | @ad< "20031126" and ("375"/\$ "455"/\$).cols. and ((measur\$3 calibrat\$3 determin\$3) near5 slope near5 (RSSI RSS (signal near strength))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/22 11:10 |
| S175 | 2 | ("5107225").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/22 11:13 |
| S176 | 5150 | @ad< "20031126" and BROADCOM | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/29 13:16 |

| | | | | | | |
|------|-----|---------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|----|----|---------------------|
| S178 | 92 | S176 and measur\$5 near2 power | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/29 13:18 |
| S179 | 40 | S176 and measur\$5 near2 power near signal | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/29 13:20 |
| S180 | 30 | S179 and (adjust\$3 configur\$3 reconfigur\$3 calibrat\$3) near4 receiv\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/29 13:23 |
| S181 | 3 | S180 and (second repeat \$3) near2 measur\$5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/29 13:24 |
| S182 | 983 | @ad< "20031126" and ((calibrat\$3 configur\$3 reconfigur\$3 adjust\$3) same (gain with receiv\$3) same (transmi\$5 with power)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/05 15:06 |
| S183 | 250 | S182 and ((RSSI (power near2 signal)) with measur \$5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/05 15:07 |
| S184 | 64 | S183 and ((calibrat\$3 configur\$3 reconfigur\$3 adjust\$3) same (gain with receiv\$3) same (transmi\$5 with power)).bsum. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/05 15:08 |
| S185 | 12 | S183 and ((calibrat\$3 configur\$3 reconfigur\$3 adjust\$3) same (gain near3 receiv\$3) same (transmi\$5 near3 power)).bsum. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/05 15:09 |
| S186 | 8 | S185 and "455"/\$.cds. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/05 15:15 |

| | | | | | | |
|------|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|----|----|---------------------|
| S187 | 5 | @ad<"20031126" and "455"/\$.ccls. and (calibrat\$3 configur\$3 reconfigur\$3 adjust\$3) near3 (transmitting transmitter transmission) near4 (receiver receiving) same (measur\$5 near4 signal near2 power) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/06 11:15 |
| S188 | 1 | @ad<"20031126" and "455"/\$.ccls. and (maximum near2 transmi\$5 near2 power) and (maximum near2 gain near3 LNA) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/06 14:26 |
| S189 | 7 | @ad<"20031126" and "455"/\$.ccls. and ((curve slope) with RSSI with power) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/06 14:35 |
| S190 | 0 | @ad<"20031126" and (calibrat\$3 configur\$3 reconfigur\$3 adjust\$3 modif\$4 chang\$3) same (gain near transmitter) same (gain near LNA) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/09 10:20 |
| S191 | 44 | @ad<"20031126" and (calibrat\$3 configur\$3 reconfigur\$3 adjust\$3 modif\$4 chang\$3) and ((gain power) near transmitter) and (gain near LNA) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/09 10:21 |
| S192 | 17 | S191 and RSSI | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/09 10:21 |
| S193 | 3 | S192 and "802.11" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/09 10:43 |
| S201 | 0 | @ad<"20031126" and (calibrat\$3 configur\$3 reconfigur\$3 adjust\$3 modif\$4 chang\$3) with both with ((gain power) near transmitter) with (gain near LNA) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/10 13:16 |

| | | | | | | |
|------|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|----|----|---------------------|
| S202 | 33 | ("20020118724" "20030181184" "20030190903" "20030227986" "20040242177" "4776040" "4872206" "5339454" "5564079" "6112095" "6115605" "6134448" "6140964" "6198935" "6212391" "6249252" "6259406" "6269246" "6275190" "6282427" "6304218" "6373907" "6414634" "6415155" "6441777" "6442380" "6498927" "6526283" "6556942" "6728524" "6927628" "6950641" "6993291") PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2009/02/10 13:37 |
| S203 | 38 | @ad< "20031126" and (calibrat\$3 configur\$3 reconfigur\$3 adjust\$3 modif\$4 chang\$3) with ((gain power) near transmitter) with (gain near (receiver LNA)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/10 13:38 |
| S204 | 1 | (10/112642).APP. | USPAT; USOCR | OR | ON | 2009/02/10 13:47 |
| S205 | 2 | S203 and RSSI | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/10 13:49 |
| S206 | 15 | S203 and "455"/\$.cds. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/10 14:02 |
| S207 | 7 | S206 and (measur\$3 near3 power) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/10 14:39 |
| S210 | 1 | 11/259918 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/10 15:41 |

| | | | | | | |
|------|----|-----------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|----|----|---------------------|
| S212 | 63 | @ad<"20031126" and ((calibrat\$3 configur\$3 reconfigur\$3 adjust\$3 modif\$4 chang\$3) near5 attenuat\$3 near3 switch). bsum. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/11 12:27 |
| S213 | 10 | S212 and "455"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/11 12:27 |
| S214 | 57 | @ad<"20031126" and ((calibrat\$3 configur\$3 reconfigur\$3 adjust\$3 modif\$4 chang\$3) near3 (loop adj back)). bsum. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/11 12:49 |
| S215 | 2 | S214 and "455"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/11 12:49 |
| S216 | 39 | @ad<"20031126" and "455"/\$.ccls. and ((calibrat\$3 configur\$3 reconfigur\$3 adjust\$3 modif\$4 chang\$3) near4 (loop adj back)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/11 12:51 |
| S217 | 6 | @ad<"20031126" and "455"/\$.ccls. and (switch\$3 near attenuat\$3 near mode) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/11 13:04 |

2/ 11/ 2009 5:29:38 PM

C:\Documents and Settings\zlu\My Documents\EAST\Workspaces\10817094.wsp